

ARG

Pool and Spa Products 2026 Catalog



1406 Commerce Drive, Stockbridge, GA 30281
www.argpool.com



Water Features White Goods Replacement Parts

Customer Service, Tech Support, Sales and Accounting : CS@ARGPOOL.COM

Instructions, Videos, and the Latest Information : www.argpool.com

We are the manufacturer and do not sell to the public. To purchase our product, please visit your local pool retailer.

Merchandise will not be accepted for return without a Returned Goods Authorization (RGA) number issued by Advanced Recreational Goods, which should be marked on all returned cartons. Returned shipments not having prior authorization will be refused. All returned merchandise must be new and unused with the exception of defective goods. A 25% restocking charge will be applied against any credit issued for salable merchandise. All goods must be returned freight pre-paid within 30 days after receipt of shipment.

ARG Limited Warranty

ARG warrants its products to be free of defects in material and workmanship for a period of one (1) year from the date of original purchase of the ARG product unless otherwise noted.

This Limited Warranty DOES NOT cover:

- Costs incurred in the shipment of cartage, removal and/or reinstallation (including but not limited to labor costs) with respect to the replacement product made available by Advanced Recreational Goods, INC pursuant to this Limited Warranty.
- Damage or improper operation of a product governed by this Limited Warranty to the extent same is caused by customer abuse, misuse, negligence, or failure to follow instructions or operation instructions.
- Use for which the product is not designed.
- Fire, explosion, weather conditions or natural disasters.
- Faulty or improper installation.
- Ordinary wear and tear.
- Damage caused by negligent or improper maintenance procedures and other causes not specified, by beyond the control of Advanced Recreational Goods, INC.
- Improper packaging, repackaging or damage incurred during shipping.

In order for this Limited Warranty to be effective you must:

- Be the original purchaser of the product from Advanced Recreational Goods, INC.
- Have not structurally modified, misused or misapplied the product manufactured by Advanced Recreational Goods.
- Have maintained the Advanced Recreational Goods product in accordance with the instructions from Advanced Recreational Goods, INC or as described in maintenance materials provided by Advanced Recreational Goods, INC to you.
- Have complied with all terms for the payment of the Advanced Recreational Goods product.
- Made your claim in writing to Advanced Recreational Goods within the time provided and in accordance with the terms of this Limited Warranty.



It is agreed that you have 30 days from the accrual of a claim to inform Advanced Recreational Goods, INC by registered mail with acknowledgement of receipt. It is agreed that you have one year from accrual of a claim to commence any legal action arising from the purchase of a product manufactured by Advanced Recreational Goods, INC.

This Limited Warranty shall be governed by and construed in accordance with the laws of the State of Georgia, except as to its principles of conflicts of laws, and Advanced Recreational Goods, INC and you irrevocably submit to the jurisdiction of the State of Georgia and the venue of Henry County in any action brought by the parties hereto concerning the Limited Warranty or the performance by Advanced Recreational Goods, INC thereunder.

For communication related to replacement products or other issues respecting this Limited Warranty, please contact:
Advanced Recreational Goods, INC.

1406 Commerce Drive, Stockbridge, Georgia 30281

ARG Pool Waterfalls



Back Port

Bottom Port

Product Features

- PVC
- Cuttable in the Field
- Proven Product
- Our Most Popular Water Feature

Back Port Part Number	White Description	Back Port Part Number	Clear Description	Bottom Port Part Number	White Description
WF1201AWH	WF 12 INCH 1 INCH LIP WHITE	WF1201ACL	WF 12 INCH 1 INCH LIP CLEAR	WF1201BWH	WF 12 INCH 1 INCH LIP WHITE
WF1206AWH	WF 12 INCH 6 INCH LIP WHITE	WF1206ACL	WF 12 INCH 6 INCH LIP CLEAR	WF1206BWH	WF 12 INCH 6 INCH LIP WHITE
WF1209AWH	WF 12 INCH 9 INCH LIP WHITE	WF1209ACL	WF 12 INCH 9 INCH LIP CLEAR	WF1212BWH	WF 12 INCH 12 INCH LIP WHITE
WF1212AWH	WF 12 INCH 12 INCH LIP WHITE	WF1212ACL	WF 12 INCH 12 INCH LIP CLEAR	WF1801BWH	WF 18 INCH 1 INCH LIP WHITE
WF1801AWH	WF 18 INCH 1 INCH LIP WHITE	WF1801ACL	WF 18 INCH 1 INCH LIP CLEAR	WF1806BWH	WF 18 INCH 6 INCH LIP WHITE
WF1806AWH	WF 18 INCH 6 INCH LIP WHITE	WF1806ACL	WF 18 INCH 6 INCH LIP CLEAR	WF1812BWH	WF 18 INCH 12 INCH LIP WHITE
WF1809AWH	WF 18 INCH 9 INCH LIP WHITE	WF1809ACL	WF 18 INCH 9 INCH LIP CLEAR	WF2401BWH	WF 24 INCH 1 INCH LIP WHITE
WF1812AWH	WF 18 INCH 12 INCH LIP WHITE	WF1812ACL	WF 18 INCH 12 INCH LIP CLEAR	WF2406BWH	WF 24 INCH 6 INCH LIP WHITE
WF2401AWH	WF 24 INCH 1 INCH LIP WHITE	WF2401ACL	WF 24 INCH 1 INCH LIP CLEAR	WF3601BWH	WF 36 INCH 1 INCH LIP WHITE
WF2406AWH	WF 24 INCH 6 INCH LIP WHITE	WF2406ACL	WF 24 INCH 6 INCH LIP CLEAR	WF36035BWH	WF 36 INCH 3.5 INCH LIP WHITE
WF2409AWH	WF 24 INCH 9 INCH LIP WHITE	WF2409ACL	WF 24 INCH 9 INCH LIP CLEAR	WF3606BWH	WF 36 INCH 6 INCH LIP WHITE
WF2412AWH	WF 24 INCH 12 INCH LIP WHITE	WF2412ACL	WF 24 INCH 12 INCH LIP CLEAR	WF4801BWH	WF 48 INCH 1 INCH LIP WHITE
WF3601AWH	WF 36 INCH 1 INCH LIP WHITE	WF3601ACL	WF 36 INCH 1 INCH LIP CLEAR	WF4806BWH	WF 48 INCH 6 INCH LIP WHITE
WF3606AWH	WF 36 INCH 6 INCH LIP WHITE	WF3606ACL	WF 36 INCH 6 INCH LIP CLEAR	WF4812BWH	WF 48 INCH 12 INCH LIP WHITE
WF3609AWH	WF 36 INCH 9 INCH LIP WHITE	WF3609ACL	WF 36 INCH 9 INCH LIP CLEAR	WF6001BWH	WF 60 INCH 1 INCH LIP WHITE
WF3612AWH	WF 36 INCH 12 INCH LIP WHITE	WF3612ACL	WF 36 INCH 12 INCH LIP CLEAR	WF6006BWH	WF 60 INCH 6 INCH LIP WHITE
WF4801AWH	WF 48 INCH 1 INCH LIP WHITE	WF4801ACL	WF 48 INCH 1 INCH LIP CLEAR		
WF4806AWH	WF 48 INCH 6 INCH LIP WHITE	WF4806ACL	WF 48 INCH 6 INCH LIP CLEAR		
WF4809AWH	WF 48 INCH 9 INCH LIP WHITE	WF4809ACL	WF 48 INCH 9 INCH LIP CLEAR		
WF4812AWH	WF 48 INCH 12 INCH LIP WHITE	WF4812ACL	WF 48 INCH 12 INCH LIP CLEAR		
WF6001AWH	WF 60 INCH 1 INCH LIP WHITE	WF6001ACL	WF 60 INCH 1 INCH LIP CLEAR		
WF6006AWH	WF 60 INCH 6 INCH LIP WHITE	WF6006ACL	WF 60 INCH 6 INCH LIP CLEAR		
WF6009AWH	WF 60 INCH 9 INCH LIP WHITE	WF6009ACL	WF 60 INCH 9 INCH LIP CLEAR		
WF6012AWH	WF 60 INCH 12 INCH LIP WHITE	WF7201ACL	WF 72 INCH 1 INCH LIP CLEAR		
WF7201AWH	WF 72 INCH 1 INCH LIP WHITE	WF7206ACL	WF 72 INCH 6 INCH LIP CLEAR		
WF7206AWH	WF 72 INCH 6 INCH LIP WHITE	WF8401ACL	WF 84 INCH 1 INCH LIP CLEAR		
WF8401AWH	WF 84 INCH 1 INCH LIP WHITE	WF8406ACL	WF 84 INCH 6 INCH LIP CLEAR		
WF8406AWH	WF 84 INCH 6 INCH LIP WHITE				
WF9601AWH	WF 96 INCH 1 INCH LIP WHITE				
WF9606AWH	WF 96 INCH 6 INCH LIP WHITE				

Back Port Part Number	Gray Description	Back Port Part Number	Tan Description	Lip Sizes Available
WF1201AGR	WF 12 INCH 1 INCH LIP GRAY	WF1201ATN	WF 12 INCH 1 INCH LIP TAN	1 inch
WF1206AGR	WF 12 INCH 6 INCH LIP GRAY	WF1206ATN	WF 12 INCH 6 INCH LIP TAN	3 inch
WF1209AGR	WF 12 INCH 9 INCH LIP GRAY	WF1209ATN	WF 12 INCH 9 INCH LIP TAN	3.5 inch
WF1212AGR	WF 12 INCH 12 INCH LIP GRAY	WF1212ATN	WF 12 INCH 12 INCH LIP TAN	6 inch
WF1801AGR	WF 18 INCH 1 INCH LIP GRAY	WF1801ATN	WF 18 INCH 1 INCH LIP TAN	9 inch
WF1806AGR	WF 18 INCH 6 INCH LIP GRAY	WF1806ATN	WF 18 INCH 6 INCH LIP TAN	12 inch
WF1809AGR	WF 18 INCH 9 INCH LIP GRAY	WF1809ATN	WF 18 INCH 9 INCH LIP TAN	Not in All Colors
WF1812AGR	WF 18 INCH 12 INCH LIP GRAY	WF1812ATN	WF 18 INCH 12 INCH LIP TAN	
WF2401AGR	WF 24 INCH 1 INCH LIP GRAY	WF2401ATN	WF 24 INCH 1 INCH LIP TAN	
WF2406AGR	WF 24 INCH 6 INCH LIP GRAY	WF2406ATN	WF 24 INCH 6 INCH LIP TAN	
WF2409AGR	WF 24 INCH 9 INCH LIP GRAY	WF2409ATN	WF 24 INCH 9 INCH LIP TAN	
WF2412AGR	WF 24 INCH 12 INCH LIP GRAY	WF2412ATN	WF 24 INCH 12 INCH LIP TAN	
WF3601AGR	WF 36 INCH 1 INCH LIP GRAY	WF3601ATN	WF 36 INCH 1 INCH LIP TAN	
WF3603AGR	WF 36 INCH 3 INCH LIP GRAY	WF3606ATN	WF 36 INCH 6 INCH LIP TAN	
WF3606AGR	WF 36 INCH 6 INCH LIP GRAY	WF3609ATN	WF 36 INCH 9 INCH LIP TAN	
WF3609AGR	WF 36 INCH 9 INCH LIP GRAY	WF3612ATN	WF 36 INCH 12 INCH LIP TAN	
WF3612AGR	WF 36 INCH 12 INCH LIP GRAY	WF4801ATN	WF 48 INCH 1 INCH LIP TAN	
WF4801AGR	WF 48 INCH 1 INCH LIP GRAY	WF4806ATN	WF 48 INCH 6 INCH LIP TAN	
WF4806AGR	WF 48 INCH 6 INCH LIP GRAY	WF4809ATN	WF 48 INCH 9 INCH LIP TAN	
WF4809AGR	WF 48 INCH 9 INCH LIP GRAY	WF4812ATN	WF 48 INCH 12 INCH LIP TAN	
WF4812AGR	WF 48 INCH 12 INCH LIP GRAY	WF6001ATN	WF 60 INCH 1 INCH LIP TAN	
WF6001AGR	WF 60 INCH 1 INCH LIP GRAY	WF6006ATN	WF 60 INCH 6 INCH LIP TAN	
WF6006AGR	WF 60 INCH 6 INCH LIP GRAY			
WF7206AGR	WF 72 INCH 6 INCH LIP GRAY			

One Gallon Per Inch. Must Use Filtered Water.



Please Visit www.argpool.com For Videos Of Our Waterfalls In Action - Also Our Custom Cut Waterfalls In Action.

ARG Pool Archfalls



Back Port



Product Features


- PVC
- Proven Product
- Great Way To Add A Fall Without Building A Wall

Back Port Part Number	White Arch Description	Back Port Part Number	Gray Arch Description	ArchFalls
AF1201AWH	AF 12 INCH 1 INCH LIP WHITE	AF1201AGR	AF 12 INCH 1 INCH LIP GRAY	Lip Sizes 1 Inch And 6 Inch Available
AF1206AWH	AF 12 INCH 6 INCH LIP WHITE	AF1206AGR	AF 12 INCH 6 INCH LIP GRAY	One Gallon Per Inch
AF1801AWH	AF 18 INCH 1 INCH LIP WHITE	AF1801AGR	AF 18 INCH 1 INCH LIP GRAY	Back Port Only
AF1806AWH	AF 18 INCH 6 INCH LIP WHITE	AF1806AGR	AF 18 INCH 6 INCH LIP GRAY	Are Not Cuttable
AF2401AWH	AF 24 INCH 1 INCH LIP WHITE	AF2401AGR	AF 24 INCH 1 INCH LIP GRAY	Must Use Filtered Water
AF2406AWH	AF 24 INCH 6 INCH LIP WHITE	AF2406AGR	AF 24 INCH 6 INCH LIP GRAY	
AF3601AWH	AF 36 INCH 1 INCH LIP WHITE	AF3601AGR	AF 36 INCH 1 INCH LIP GRAY	
AF3606AWH	AF 36 INCH 6 INCH LIP WHITE	AF3606AGR	AF 36 INCH 6 INCH LIP GRAY	
AF4801AWH	AF 48 INCH 1 INCH LIP WHITE	AF4801AGR	AF 48 INCH 1 INCH LIP GRAY	
AF4806AWH	AF 48 INCH 6 INCH LIP WHITE	AF4806AGR	AF 48 INCH 6 INCH LIP GRAY	Available In White And Gray



One Gallon Per Inch. Must Use Filtered Water.

ARG Pool Rainfalls



Product Features

- PVC Body
- Stainless Steel Blade
- 12 Inch to 72 Inch Lengths
- 1 Inch and 6 Inch Lip Sizes Available
- Back Port Only


These can be Plumbed Horizontally or Vertically
Please Visit www.argpool.com For Videos Of
The ARG Pool Rainfalls In Action.

Rainfall Blade Can Not Be Serviced or
Removed. **Must Use Filtered Water (Water
Must Come Directly From Filter to Rainfall)**

Back Port Part Number	Stainless Steel Description
RF1201ASS	RF 12 INCH 1 INCH LIP STAINLESS STEEL
RF1206ASS	RF 12 INCH 6 INCH LIP STAINLESS STEEL
RF1801ASS	RF 18 INCH 1 INCH LIP STAINLESS STEEL
RF1806ASS	RF 18 INCH 6 INCH LIP STAINLESS STEEL
RF2401ASS	RF 24 INCH 1 INCH LIP STAINLESS STEEL
RF2406ASS	RF 24 INCH 6 INCH LIP STAINLESS STEEL
RF3601ASS	RF 36 INCH 1 INCH LIP STAINLESS STEEL
RF3606ASS	RF 36 INCH 6 INCH LIP STAINLESS STEEL
RF4801ASS	RF 48 INCH 1 INCH LIP STAINLESS STEEL
RF4806ASS	RF 48 INCH 6 INCH LIP STAINLESS STEEL
RF6001ASS	RF 60 INCH 1 INCH LIP STAINLESS STEEL
RF6006ASS	RF 60 INCH 6 INCH LIP STAINLESS STEEL
RF7201ASS	RF 72 INCH 1 INCH LIP STAINLESS STEEL
RF7206ASS	RF 72 INCH 6 INCH LIP STAINLESS STEEL



**Plumb Vertically With A 90°
Elbow**
**3 - 3/4 Inch Minimum From
Back of Rainfall to Top of
Elbow**



**Rainfalls Are 0.5 Gallon Per Minute Per
Inch**

1 Inch Lip = 1 - 1/4 Inch
6 Inch = 6 - 1/4 Inch



Rainfall Slots Are 1/8 Inch Square
3/8 Inch Apart

Rainfall Blade Adds 1/8 Inch to Length of
Waterfall

Pool Waterfall Tech Guide

ARG Pool Waterfalls Have Been Produced For Almost 20 Years

Ports (Inlets) are 1-1/2 in Spigot - PVC Material - One Gallon Per Minute Per Inch*



Back Port

Bottom Port

Lip Sizes Available

Not Available in All Colors

- 1 inch
- 3 inch
- 3.5 inch
- 6 inch
- 9 inch
- 12 inch

Because ARG Waterfalls Are PVC, They Are Easier to Cut In The Field vs The Competition.



Plumbing Inlet Port:

12 in, 18 in, 24 in & 36 in are One Port

48 in, 60 in, 72 in & 84 in are Two Ports

96 in are Four Ports


Suggested Pipe Configuration :

2 Way Valve


One Port - In the middle of the Waterfall

Two Ports -


48 in		XXXXXX
60 in		XXXXXX
72 in		XXXXXX
84 in		XXXXXX
96 in		XXXXXX



Up to 36 Inch Long



48 Inch - 84 Inch Long




96 Inch Long

*One Gallon Per Minute, Per Inch (ex. 24 inch Waterfall Requires 24 GPM)

Waterfall Measurements

Body



*Lip Width 1 Inch = 1 - 1/16 inch 3 inch = 3 inch 3.5 inch = 3.5 inch 6 Inch = 6 inch
 9 inch = 9 inch 12 inch = 12 inch

Lip Length

Waterfall	Lip Length (inch) **
12 inch (WF12XXXXX)	12.7 inch
18 inch (WF18XXXXX)	18.6 inch
24 inch (WF24XXXXX)	24.45 inch
36 inch (WF36XXXXX)	36.2 inch
48 inch (WF48XXXXX)	48 inch
60 inch (WF60XXXXX)	59.85 inch
72 inch (WF72XXXXX)	71.54 inch
84 inch (WF84XXXXX)	83.35 inch
96 inch (WF96XXXXX)	95.24 inch

**Plus or Minus .33 inches

Pool Waterfall Tech Guide



Must use filtered water (water must go through a filter before going to the waterfall). A rock trap (A) is provided with each waterfall. This is only to collect the debris from building the pool, not for ongoing maintenance.



A metal tool (B) is provided for when cutting waterfalls in the field. The supports that keep the lip open must be broken off one inch from the front of the lip. The waterfall tool can also be used to clean the opening of the lip.

A

Part Number
WFRT00


B

Part Number
WFMT00

We recommend using at least one GPM per inch of waterfall. Using less may cause the water to wet the wall, affecting the appearance of the waterfall.

As the water sheet comes out of the waterfall, it will close in, looking like a V pattern.

To minimize this, try more GPM. The higher a waterfall is installed, the more pronounced the V shape will be.



12" & 18" Waterfalls

The flume on these sizes of waterfall is very narrow. For a more traditional appearance, we recommend installing the 12" at max height of 18" (8" projection) and 18" at max height of 24" (9" projection).

Wet Wall Effect

Low flow installations may cause the wall surface to become wet when the waterfall is flowing. For a dry wall effect, it is best to operate at the higher end of the recommended GPM range. At the low end of the recommended GPM range the waterfall flume will still appear good, but you may be in the potential "drip zone." (Example: For a dry wall on a 36" waterfall, 36 GPM or more will give the best results.)

Extended Heights and Projection

For a more dramatic effect, it is possible to achieve increased projection and heights above 40" by increasing the gallons per minute. Results outside of tested parameters may vary.

Test Conditions

Testing was performed in our factory under optimum conditions. Environmental factors such as weather, construction method, hydraulic variations, and different equipment can alter appearance.

Waterfall Custom Cut Order Form

Complete Form and email to CS@argpool.com

Builder Name _____

Date _____

Address _____

Contact _____

Phone _____



Email _____

Distributor _____

ARG Waterfall Part Number _____ Quantity _____



Back or Bottom Inlet _____

Type of Cut (Circle Number):



3 Custom Cut

For Numbers 1 and 2, list the radius desired in feet _____



List the length of the lip to the body on the ends (B) _____ center (A) _____

For Number 3, a template must be sent to ARG at:

ARG

1406 Commerce Dr, Stockbridge, GA 30281

Please write your name and email on the template.

Note: Custom Cut Waterfalls cannot be returned. A PO Number from the distributor is required before a custom cut can be made. Filtered water must be used on waterfalls.

There is an upcharge for custom cuts. Please check with your distributor for details.

Any questions please email cs@argpool.com.

\$50 Charge On Custom Cut 12 in To 48 in Part Number: WFCC40


\$85 Charge On Custom Cut 60 in + 72 in WFCC70

\$120 Charge On 84 in + 96 in WFCC100



Order In Two Part Numbers - The Waterfall Kit By Size And The Topper LED Plate Kit By Size And Color

Order Separately Third Part Number ARGSync On Next Page (3 Part Numbers For Complete LED Waterfall)



Waterfall Kit



LED Plate Kit

Product Features

- Easiest LED Waterfall To Install And Service
- This Waterfall Design Resolves LED Waterfall Strip Issues
- The LED Metal Topper Design Is An Elegant Addition To Any Style Pool
- Available in Stainless Steel, Copper, White and Gray
- Available in 12 inch, 24 inch and 36 inch
- 12 Volt LED Strip

Part Numbers	LED Topper Waterfall 12 Inch	24 Inch	36 Inch
Waterfall Kit Waterfalls with Spacers 3 Screws, Instructions	TWF121 1 INCH LIP TWF126 6 INCH LIP	TWF241 1 INCH LIP TWF246 6 INCH LIP	TWF361 1 INCH LIP TWF366 6 INCH LIP
LED Plate Kit Plate, LED Strip, 100 FT Cord, Allen Wrench			
SS Topper Plate Kit Copper Topper Plate Kit White Topper Plat Kit Gray Topper Plate Kit	TWFLK12SS TWFLK12CP TWFLK12WH TWFLK12GR	TWFLK24SS TWFLK24CP TWFLK24WH TWFLK24GR	TWFLK36SS TWFLK36CP TWFLK36WH TWFLK36GR
150 FT CORD	LWFC150		



Gray


White

Stainless Steel

Copper

These Metal Plates Are Stainless Steel. The White, Gray and Copper Are Powder Coated For Long Life and Durability.

Please Visit www.argpool.com For Videos Of The Topper LED Waterfall In Action.



To Control The LED Light On The Waterfall, Use The ARGSync Controller.

The LED Light Strip Is 4 Wire, 12 Volt. Connect To The ARGSync Controller And The ARGSync Controller To Your Automation.

[ARGSync Controller Part Number LCSCT](#)



The ARGSync Controller Will Power Up To 12 Feet Of Waterfall. It Also Has The 12 Volt To 120 Volt Transformer Built In, So No Need To Add One.

Best Looking LED Waterfall At Night

Best Looking LED Waterfall In The Daytime





Comes In 3 Sizes - 12 inch, 24 inch, 36 inch

Comes In 4 Colors - White, Gray, Stainless Steel and Copper*

3 Items Needed For Complete Kit

*Copper Is Stainless Steel Powder Coated Copper

Measurements



The Waterfall Is Installed In The Wall.
The Metal Plate Covers The Waterfall.

Installing The Waterfall And Conduit



Lay The Conduit In The Space As Shown.

Installing The Plate



Install The Plate Over The Screws As Shown. Tighten Screws With Allen Wrench Provided.

Installing The Cord



LED Strip Is Installed In Plate As Shown.



Screw The Plug Together As Shown. Feed Cord Into Conduit.

Clean Pro

Inline Chlorine/Bromine Tablet Feeder



Automatic Chlorinator RESIDUAL SANITIZER SYSTEM

Specifically Designed For Variable Speed Pump Applications

- Accepts 1 Inch or 3 Inch Chlorine or Bromine Tablets.
- Holds Eleven 3 Inch Tablets or Five Pounds of 1 inch Tablets.
- Air Bleed for Better Performance.
- Large Body For Easier Service.
- Clear Feeder Tube Indicates When Unit Is In Operation.
- 2 Inch And 1 1/2 Inch Unions Included.
- Inserts In Body Are Specifically Designed To Work With Variable Speed Pumps. They May Be Removed When Using With A Single Speed Pump. (Or When Less Chlorination Is Desired).
- Part Number CIV00.



Manual Air Relief Plug Allows the User to Bleed the Air for Better Performance.

Chlorinators Sometimes Suffer from "Air Lock". Better Designed Chlorinators Have This Air Relief Plug Feature.



Left - Clear Feeder Tube Allows the User to See That The Unit is Operating. Clear Feeder Tube is Easily Replaceable. Clear Feeder Tube Feeds Chlorinator Body at The Top for More Efficient Performance.

Right - Chlorinator Dial Allows User to Set The Chlorinator for Desired Amount.

Inserts In Body Are Specifically Designed To Work With Variable Speed Pumps. They May Be Removed When Using With A Single Speed Pump. (Or When Less Chlorination Is Desired).

Email cs@argpool.com for more information.

Replacement Parts Page 22



ARG Deck Jet





Assembly Part Number
DJ001

Parts

Single Stream Nozzle DJN01
Dual Stream Nozzle DJN02
Round Cap
Gray DJRCGR
Tan DJRCTN
White DJRCWT
Square Cap
Gray DJSCGR
Tan DJSCTN
Deck Jet Plug DJP01

Gunite Spa Jets



Deluxe Gunite Spa Jet Assembly



Spa Massage Hydro Jet

Black SKHJBK Gray SKHJGR White SKHJWH

Pipe Not Included 17-20 GPM




Spa Massage Double Tee Jet

Black SKDJBK Gray SKDJGR White SKDJWH

Pipe Not Included 13-17 GPM

Spa Massage Hydro Jet Black



Spa Massage Double Tee Jet Gray

Deluxe Gunite Spa Jet Fitting

Stainless Steel Trim - Rotates For Therapy Massage

1-1/2 in FPT Fits Inside Most Return Fittings



Black SK115MBK



Gray SK115MGR



White SK115MWH

Fittings

Water Stop
Adapter 1-1/2 in



Clear WSA015CL
White WSA015WH

Water Stop
Adapter 2 in



Clear WSA002CL
White WSA002WH

Flush Mount
Return Fitting*



Wall Fitting
1-1/2 in Socket Gunite



*1 in Eye With 3/4 in Reducer

Black FR00BK
Dark Gray FR00DG
Gray FR00GR
White FR00WH

Black GF015BK
Dark Gray GF015DG
Gray GF015GR
White GF015WH

1-1/2 in Insider x 1 in Socket

Aussie 1-1/2 in
Insider Fitting



Black IA015BK
Dark Gray IA015DG
Gray IA015GR
White IA015WH

Aussie 1 in
Insider Fitting



Black IA001BK
Dark Gray IA001DG
Gray IA001GR
White IA001WH

2 in Insider
Fitting



Wall Fitting
1-1/2 in FPT x 2 in MPT



Black IF002BK
Dark Gray IF002DG
Gray IF002GR
White IF002WH

White WFT002WH

Wall Fitting
1-1/2 in FPT x
1-1/2 in MPT



Black GF01515BK
Dark Gray GF01515DG
Gray GF01515GR
White GF01515WH

Eyeball Fitting
1-1/2 in MPT x
3/4 in Eye



Black EFM015DBK
Dark Gray EFM015DDG
Gray EFM015DGR
White EFM015DWH

Gutter Drain Assy
2 x 4 - 2 in Socket



GD02WH White
GD02BK Black
GD02GR Gray

Gutter Drain
2 x 4 Grate




GDGWH White
GDGBK Black
GDGGR Gray

Gutter Drain
Extension Kit



GDEKWH
White
GDEKBK
Black

Pool Zinc Anode



Assembly
PZA02

2 in Socket

PZAROD
PZA02LN
PZAC
PZACO

Replacement Zinc Rod
Replacement Nut
Cover
Cover O'Ring

For Salt Generator Pools

Replacement Parts

P Style G52 Back Up Valve



POLG52WH White
POLG52BK Black

P Style Black Cap
(190030)



PENDPC

J Style Check Valve
Cover With Flapper



JCVFLAP

P Style Piston
(273241)



PP273241

P Style Piston
(263055)



PP263055

P Style Check Valve Cover With Flapper



PCVFLAP

Filter Manifolds DE

FNS P Style



FM5902

DEX H Style



FMDEX2

J Style



FMR0359

Baskets Heavy-Duty

Better Than The OEM

Skimmer Basket
H Style



BHD009

Skimmer Basket
W Style



BHD019

Standard Handle Included
Snaps In Place




Extended
Handle



BHD069

Skimmer Basket Extended Handle
H Style



BHD609

W Style



BHD619

Pump Basket
Super 2



BHD207

Pump Basket
Whisper Flo



BHD199

Pump Basket
Challenger



BHD219

Air Reliefs

Air Relief P Style	Sand Filter Air Relief	Air Relief H Style
		
ARP9820 With Gauge Competitor 98209800	ARP9823 Less Gauge Competitor 98209803	Clear ARP2734 Black ARP2730 With Gauge
		ARHDEX2 With Gauge ARHDEX2LG Less Gauge Competitor DEX2420MAR2

					
ARHCCX Competitor CCX1000V	ARHDEXO Competitor DEX2400S	ARP1549 Competitor 15468	ARP1547 Competitor 154687	GBOM Gauge Bottom Thread	GBAM Gauge Back Thread

Ball Valves Socket x Socket

		
Socket x Socket 2 in BV002 1-1/2 in BV015	Socket x Socket 1 in BV001 3/4 in BV035	Socket With Union 2 in BVU02 1-1/2 in BVU15

Unions

Hi-Temp 1-1/2 in
Socket x Male Thread



UHTM015

Hi-Temp 2 in
Socket x Male Thread



UHTM002

1-1/2 in Socket x
Male Thread



UMT015

2 in Socket x
Male Thread



UMT002

2 in Socket x 1-1/2 in
Male Thread



UMT215

2 in Socket
PVC White



US002

1-1/2 in Socket
PVC White



US015

Raypak Style Heater Union Kit
006723F



URS02



Replacement Tee Gasket
UTG02 Sold In A Bag Of 10 pcs



Union Tailpiece Assembly 1 1/2 in UTA015
Union Tailpiece Assembly 2 in UTA002

Parts



1-1/2 in All Purpose Plug
APP015



Barracuda Style
Diaphragm With Ring
BSDIA

Replacement Parts

Replacement Metal Plate


Assembly Page 10

Components	12 Inch TWFP12SS	24 Inch TWFP24SS	36 Inch TWFP36SS
LED SS Topper Plate Only 			
LED Copper Topper Plate Only 	TWFP12CP	TWFP24CP	TWFP36CP
LED White Topper Plate Only 	TWFP12WH	TWFP24WH	TWFP36WH
LED Gray Topper Plate Only 	TWFP12GR	TWFP24GR	TWFP36GR
LED Strip 	LWFS12	LWFS24	LWFS36
100 Cord With Plug 	LWFC100		
3 Screw Pack Allen Wrench	TWFSP TWFAW		

Replacement Parts

Clean Pro

Inline Chlorine/Bromine Tablet Feeder



1 - Lid CIV01	* 6d - 1 ½ in Union Piece UT015
2 - Lid O-ring CIV02	7 - Grate Check Valve CIV05
3 - Control Valve Gasket (2) Pieces CIV03	8 - Variable Speed Reducers (3) Pieces CIVSD
4 - Body N/A	9 - Air Bleeder Plug
5 - Control Valve and Clear Tube CIV04	10 - Air Bleeder Plug O-ring
* 6a - Union Nut UT001	
* 6b - 2 in Union Piece UT002	
* 6c - Union gasket UT003	

*Sold As A Set. For 2 inch, UTA002. For 1-1/2 inch, UTA015.

Assembly Page 13


Deck Jet



Parts
Single Stream Nozzle
DJN01
Dual Stream Nozzle
DJN02
Round Cap
Gray DJRCGR
Tan DJRCTN
White DJRCWT
Square Cap
Gray DJSCGR
Tan DJSCTN
Deck Jet Plug
DJP01

Assembly Page 14

ARG



ARG 2026 Pool And Spa Catalog



Advanced Recreational Goods, Inc. 1406 Commerce Dr., Stockbridge, GA 30281
PH (678) 837-7479 www.argpool.com cs@argpool.com